

2021

ANCHOR BRAKE SYSTEMS

Calipers Family HIGH PERFORMANCE



6FMP2



6FMP3



4FMP2



4BPD



4BPA



BRF4P



6T4



6FPN



6FPN4



NB6FP



BRF6P



8FMP



8FPM4L



8FP



12FP



4BPD ST



N4PST



BRF4P ST



N6PST



BRF4P F+H



R4EPB



N4PSTR



BRF4PR

誠徵優質區域經銷商

加入 ANCHOR 行銷團隊!

集湧國際貿易股份有限公司

JOYOM INTERNATIONAL TRADING CO., LTD.

地址：桃園區國際路一段414巷152弄12號 www.anchor-brake.com.tw

TEL：03-3710789#211 廖先生, FAX：03-3710777 (Marketing：張先生0926312685)



ANCHOR BRAKE SYSTEMS 新品牌之緣起

ANCHOR 在美俚語的中譯也有“煞車”的意思；在汪洋大海中，為泊船時“錨”的價值就如同於移動運輸車輛的“煞車產品”一樣，為了確保讓所有位移的物體，可停在應停及想停的位置上，這絕對是與生命、安全息息相關的重要環節。

由隼湧國際貿易股份有限公司(JOYOM INTERNATIONAL TRADING CO.,LTD.) 申請註冊 **ANCHOR** 的商標以建立自有品牌的行銷(OBM)；並且由總公司泓輔企業股份有限公司(HORNG FUU INDUSTRIAL CO.,LTD)負責生產製造！



泓輔企業股份有限公司(HORNG FUU INDUSTRIAL CO.,LTD) 主要是從事汽車、機車/ATV/UTV、自行車、工業用等碟式煞車系統產品的設計與製造，及各項進出口貿易。泓輔企業自成立以來，幫各類相關知名組車廠，及許多知名品牌商代工(OEM·ODM)，提供滿足客戶需求與量身客製化之碟式煞車系統產品。

ANCHOR 機車碟式煞車系統的產品是由鈹科貿易有限公司負責所有業務拓展與行銷。



Advanced Product
高階產品



High performance/Low cost
高性價比



Native Taiwan (OBM)
來自台灣·工廠直營



Original Design
獨創設計



Customized Service
客製服務



Racing Circuit
適合賽事

“錨”起來煞 絕對無與倫比

ANCHOR is excellent brake systems. Better than ever!



隼湧國際貿易股份有限公司
JOYOM INTERNATIONAL TRADING CO.,LTD.
地址:桃園市桃園區國際路一段414巷152弄12號
網址:<http://www.anchor-brake.com.tw>

聯絡資訊

TEL:03-3710789#211 廖先生
FAX:03-3710777
(Marketing : 張先生0926312685)

6FMP2

Small 6 Piston Forged Caliper

小對6活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 30.23\text{mm} \times 2 + \varnothing 32\text{mm} \times 2 + \varnothing 32\text{mm} \times 2$
- Disc Diameter/Thickness : $\varnothing 282/\text{T24}; \varnothing 303/\text{T24mm}$ (T22~T25mm)
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HF4CMP1 109.7mmx61.6mm xThickness13.5mm(with shim)
- Pad Depth : 45mm

Technical Specification

- Piston size : $\varnothing 30.23\text{mm} \times 2 + \varnothing 32\text{mm} \times 2 + \varnothing 32\text{mm} \times 2$
- Disc Diameter/Thickness : $\varnothing 282/\text{T24}; \varnothing 303/\text{T24mm}$ (T22~T26mm)
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HF4CMP1 109.7mmx61.6mm xThickness13.5~15mm(with shim)
- Pad Depth : 45mm

6FMP3

New Small 6 Piston Forged Caliper

新小對6活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 40.45\text{mm} \times 4$
- Disc Diameter/Thickness : $\varnothing 282/\text{T24}; \varnothing 303/\text{T24mm}$ (T22~T26mm)
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HF4CMP1 109.7mmx61.6mm xThickness13.5~15mm(with shim)
- Pad Depth : 45mm

4FMP2

Small 4 Piston Forged Caliper

小對4活塞鍛造卡鉗



4BPD

Medium 4 Piston Forged Caliper 中對4活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 33.96\text{mm} \times 4$;
 $\varnothing 38.18\text{mm} \times 2 + \varnothing 42.85\text{mm} \times 2$
- Disc Diameter/Thickness :
 $\varnothing 290/\text{T24} \sim \varnothing 355/\text{T24} (\text{T22} \sim \text{T26mm})$;
 $\varnothing 330/\text{T30} \sim \varnothing 355/\text{T30mm} (\text{T28} \sim \text{T32mm})$
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF4CP
 $131.7\text{mm} \times 63.15\text{mm}$
xThickness 15mm (with shim)
- Pad Depth : 46.5mm

Technical Specification

- Piston size : $\varnothing 33.96\text{mm} \times 4$;
 $\varnothing 38.18\text{mm} \times 2 + \varnothing 42.85\text{mm} \times 2$
- Disc Diameter/Thickness :
 $\varnothing 330/\text{T30}; \varnothing 355/\text{T30}; \varnothing 380/\text{T30mm}$
(T28 ~ T32mm)
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF4BPA
 $131.8\text{mm} \times 62.1\text{mm}$
xThickness 15mm (with shim)
- Pad Depth : 48.8mm

4BPA

Large 4 Piston Forged Caliper 大對4活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 33.96\text{mm} \times 4$;
 $\varnothing 38.18\text{mm} \times 2 + \varnothing 42.85\text{mm} \times 2$
- Disc Diameter/Thickness :
 $\varnothing 330/\text{T24} \sim \varnothing 355/\text{T24}; (\text{T22} \sim \text{T26mm})$
 $\varnothing 330/\text{T30}; \varnothing 355/\text{T30}; \varnothing 380/\text{T30mm}$
(T28 ~ T32mm)
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF4BP
 $131.8\text{mm} \times 66.95\text{mm}$
xThickness 15mm (with shim)
- Pad Depth : 51.2mm

BRF4P

New Large 4 Piston Forged Caliper 新大對4活塞鍛造卡鉗



6T4

New Large 4 Piston Forged Caliper
新大對4活塞鍛造卡鉗



Technical Specification

- Piston size :
Ø33.96mm*4
- Disc Diameter/Thickness :
Ø330/T30/T32
Ø355/T32;Ø380/T32mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF6CP
151.5mmx80.3mm
xThickness17mm(with shim)
- Pad Depth : 49.5mm

Technical Specification

- Piston size : Ø30.23mm*2+
Ø34.93mm*2+Ø40.45mm*2
- Disc Diameter/Thickness :
Ø330/T30/T32;
Ø355/T32;Ø380/T32mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF6CP
151.5mmx80.3mm
xThickness17mm(with shim)
- Pad Depth : 49.5mm

6FPN

Medium 6 Piston Forged Caliper
中對6活塞鍛造卡鉗



Technical Specification

- Piston size : Ø30.23mm*2+
Ø34.93mm*2+Ø40.45mm*2
- Disc Diameter/Thickness :
Ø330/T30/T32;
Ø355/T32;Ø380/T32mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF6CP
151.5mmx80.3mm
xThickness17mm(with shim)
- Pad Depth : 49.5mm

6FPN4

Medium 6 Piston Forged Caliper
中對6活塞鍛造卡鉗



NB6FP

New Medium 6 Piston Forged Caliper

新中對6活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 30.23\text{mm} * 2 + \varnothing 34.93\text{mm} * 2 + \varnothing 40.45\text{mm} * 2$
- Disc Diameter/Thickness : $\varnothing 330/\text{T30}$; $\varnothing 355/\text{T32}$; $\varnothing 380/\text{T32mm}$
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HFB6P&N6P
189.4mmx73.3mm(87.3mm)
xThickness17mm(with shim)
- Pad Depth : 49mm(57.2mm)

Technical Specification

- Piston size : $\varnothing 30.23\text{mm} * 2 + \varnothing 34.93\text{mm} * 2 + \varnothing 40.45\text{mm} * 2$
- Disc Diameter/Thickness : $\varnothing 380/\text{T32}/\text{T34}$; $\varnothing 405/\text{T36mm}$
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HFB6P&(N6P)
189.4mmx73.3mm(87.3mm)
xThickness17mm(with shim)
- Pad Depth : 49mm(57.2mm)

BRF6P

Large 6 Piston Forged Caliper

大對6活塞鍛造卡鉗



Technical Specification

- Piston size : $\varnothing 24\text{mm} * 8$; $\varnothing 25.4\text{mm} * 8$
- Disc Diameter/Thickness : $\varnothing 330/\text{T30}/\text{T32}$; $\varnothing 355/\text{T32}$; $\varnothing 380/\text{T32mm}$
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HF6CP
151.5mmx80.3mm
xThickness17mm(with shim)
- Pad Depth : 49.5mm

8FMP

Small 8 Piston Forged Caliper

小對8活塞鍛造卡鉗



8FPM4L

Medium 8 Piston Forged Caliper
中對8活塞鍛造卡鉗



Technical Specification

- Piston size :
Ø27mm*4+Ø30.23mm*4
- Disc Diameter/Thickness :
Ø355/T32;Ø380/T32mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF12CP
79.8mmx61.93mm
xThickness16.5mm(with shim)
- Pad Depth : 50.3mm

Technical Specification

- Piston size :
Ø30.23mm*4+Ø33.96mm*4
- Disc Diameter/Thickness :
Ø380/T34;Ø405/T36mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF8CP
96.79mmx74.36mm
xThickness16.5mm(with shim)
- Pad Depth : 56.8mm

8FP

New Large 8 Piston Forged Caliper
新大對8活塞鍛造卡鉗



Technical Specification

- Piston size :
Ø27mm*12
- Disc Diameter/Thickness :
Ø380/T34;Ø405/T36mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF12CP
79.8mmx61.93mm
xThickness16.5mm(with shim)
- Pad Depth : 50.3mm

12FP

Large 12 Piston Forged Caliper
大對12活塞鍛造卡鉗



4BPDST

Medium 4 Piston Forged Caliper ST Series
中對4活塞鍛造卡鉗 ST系列



Technical Specification

- Piston size :
Ø40.45mm*4 ; Ø42.85mm*4
- Disc Diameter/Thickness :
Ø282~Ø355/T22~T26mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HFN4ST
131.7mmx63.15mm
xThickness13.5mm(with shim)
- Pad Depth : 46.5mm

Technical Specification

- Piston size :
Ø40.45mm*2+Ø42.85mm*2
- Disc Diameter/Thickness :
Ø282~Ø355/T22~T26mm
Ø290~Ø355/T28mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HFN4ST
131.7mmx63.15mm
xThickness13.5mm(with shim)
- Pad Depth : 46.5mm

N4PST

New Medium 4 Piston Forged Caliper ST Series
新中對4活塞鍛造卡鉗 ST系列



Technical Specification

- Piston size : Ø33.96mm*4 ;
Ø40.45mm*2+Ø42.85mm*2
- Disc Diameter/Thickness :
Ø330/T28;Ø355/T28;
Ø380/T28mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF4BPST
131.8mmx66.95mm
xThickness13.5mm(with shim)
- Pad Depth : 51.2mm

BRF4PST

New Large 4 Piston Forged Caliper ST Series
新大對4活塞鍛造卡鉗 ST系列



2021 Year

N6PST

New Medium 6 Piston Forged Caliper ST Series
新中對6活塞鍛造卡鉗 ST系列



Technical Specification

- Piston size :
Ø33.96mm*2+Ø38.18mm*2
+Ø40.45mm*2
- Disc Diameter/Thickness :
Ø330/T28;Ø355/T28;Ø380/T28mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HFB6PST&(N6PST)
189.4mmx73.3mm(87.3mm)
xThickness14.5mm(with shim)
- Pad Depth : 49mm(57.2mm)

Technical Specification

- Piston size :
Ø40.45mm*2+Ø40.45mm*2(Hand Brake)
- Disc Diameter/Thickness :
Ø330/T30;Ø355/T30;Ø380/T30mm
(T28~T32mm)
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF F+H
61.8mmx56.5mm
xThickness14.5mm(with shim)
- Pad Depth : 41mm

BRF4P F+H

New Large 4 Piston Forged Caliper F+H Series
新大對4 活塞鍛造卡鉗F+H系列



R4EPB

Large 4 Piston Forged Caliper For EPB
大對4活塞鍛造卡鉗



Technical Specification

- Piston size :
Ø33.96mm*4+
Ø33.96mm*1(Hand Brake)
- Disc Diameter/Thickness :
Ø355/T28;Ø380/T28mm
- Caliper Material :
Aluminum Alloy Forged
- Pad Family : HF6CPST
151.5mmx80.3mm
xThickness15mm(with shim)
- Pad Depth : 49.5mm



N4PSTR

New Medium 4 Piston Forged Caliper ST Series

新中對4活塞鍛造卡鉗 ST系列

Technical Specification

- Piston size : $\varnothing 33.96\text{mm} \times 4$
- Disc Diameter/Thickness : $\varnothing 290 \sim \varnothing 355 / T11\text{mm} (\text{Max. } 13\text{mm})$
 $\varnothing 290 \sim \varnothing 355 / T19\text{mm} (\text{Max. } 21\text{mm})$
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HFN4ST
131.7mm \times 63.15mm
xThickness 13.5mm (with shim)
- Pad Depth : 46.5mm



Technical Specification

- Piston size : $\varnothing 33.96\text{mm} \times 4$
- Disc Diameter/Thickness : $\varnothing 330 \sim \varnothing 380 / T11\text{mm} (\text{Max. } 13\text{mm})$
 $\varnothing 330 \sim \varnothing 380 / T19\text{mm} (\text{Max. } 21\text{mm})$
- Caliper Material : Aluminum Alloy Forged
- Pad Family : HF4BP
131.8mm \times 66.95mm
xThickness 15mm (with shim)
- Pad Depth : 51.2mm

BRF4PR

New Large 4 Piston Forged Caliper
新大對4活塞鍛造卡鉗



可製作顏色:紅、黃、橘、黑、銀、寶馬藍、螢光綠、螢光桃紅、陽極紅、淺硬陽



Red



Yellow



Orange



Black



Silver



BMW Blue



Fluorescent green



Fluorescent pink



Anodized red



Hard Anodized

